HILDITCH GROUP

Hilco Global™ Asset Smarter

# Medical and Exhibition Trailers and Associated Assets

## For Sale By Private Treaty

June 2025

# TU2

## Technical Info

| | |
|---|---|
| Flooring Type / Colour | Wood Effect Laminate |
| External Body Colour | White |
| Year of Manufacture | 2006 |
| Onboard Lift | Yes |
| No. of Axles | 2 |
| Gross Weight (KG) | 28,000 |
| Onboard Generator | No |

# TU2


13600
5980
1970
1925
1970
1050
2060
Step (165mm H)
560
1920
1910
Offside Pod
670
Door
955
594
1446
670
916
160
530
Worktop
505
690
Cupboard
(Distribution Board)
2540
2323
675
Door
840
Door
580
620
Storage
Cupboards
295
2040
685
812
615
640
Door
1450
Window
860
2060
2050
Nearside Pod
860
Window
Disabled
Access Lift
2155
2110
2155
6535

# TU3

## Technical Info

| | |
|---|---|
| Flooring Type / Colour | Wood Effect Laminate |
| External Body Colour | White |
| Year of Manufacture | 1999 |
| Onboard Lift | No |
| No. of Axles | 2 |
| Gross Weight (KG) | 26,000 |
| Onboard Generator | No |

# TU3


16140
13600
2433
6400
915
820
Door
Ramp
1000
6228
2335
2330
Nearside Pod
1450
2908
905
720
395
1140
235
2405
490
50
930
490
50
Window
550
8000
2540
1719
Rear Pod
710
Door
2230
Worktop
930mm H
2540
780
626
Window
370
745
1140
590
Door
2330
2325
Offside Pod
2330
790
Door
8761

# TU5

## Technical Info

| | |
|---|---|
| Flooring Type / Colour | Wood Effect Laminate |
| External Body Colour | White |
| Year of Manufacture | 2010 |
| Onboard Lift | No |
| No. of Axles | 2 |
| Gross Weight (KG) | 28,000 |
| Onboard Generator | Yes |

# TU5


13600
8000 Offside Pod
50
1300
610
1184
640
650
Door
530
505
1150
980
Door
285
2540
2470
Worktop
(H 950mm)
650
Door
750
Step
5660
1516
740
Door
930
855
1824
952
2220
2174
8150 Nearside Pod

# TU9

## Technical Info

| | |
|---|---|
| Flooring Type / Colour | Wood Effect Laminate |
| External Body Colour | White |
| Year of Manufacture | 1988 |
| Onboard Lift | Yes |
| No. of Axles | 3 |
| Gross Weight (KG) | 20,500 |
| Onboard Generator | Yes |

# TU9

18497
13600
7775
1625
Stepdeck
Pod
1215
1187
Offside Pod
5200
1207
540
High-Level
Lockers
1130
730
Door
950
Air
Exchange
962
1237
285
715
4945
2540
3870
3870
Automatic
Doors
Ramp
1800
1255
526
1128
Storage
605
Door
1352
1237
715
565
735
Door
1191
Boiler
180
400
790
Canopy
1187
Nearside Pod
7775

# TU10

## Technical Info

| | |
|---|---|
| Flooring Type / Colour | Wood Effect Laminate |
| External Body Colour | White |
| Year of Manufacture | 2020 |
| Onboard Lift | Yes |
| No. of Axles | 3 |
| Gross Weight (KG) | 39,000 |
| Onboard Generator | No |

# TU10


13600
8028 Offside Pod
1976
1953
1974
1954
380
245
2000
310
2065
1890
860
Door
440
1984
813
756
678
1050
765
Tail Lift
with Ramp
2540
2378
1300
855
Door
2230
760
Door
520
755
1800
3876
511
1890
485
2000
320
2065
265
1651
2072
2072
2062
8028 Nearside Pod

# TU11

## Technical Info

| | |
|---|---|
| Flooring Type / Colour | Wood Effect Laminate |
| External Body Colour | White |
| Year of Manufacture | 2020 |
| Onboard Lift | Yes |
| No. of Axles | 3 |
| Gross Weight (KG) | 39,000 |
| Onboard Generator | No |

# TU11


13600
7945 Offside Pod
1960
1925
1921
1968
265
1750
2010
1940
1380
1940
2010
1750
265
740
Door
520
2168
702
405
605
280
1055
760
Door
2540
2380
3722
155
Tail Lift
with Ramp
2210
855
Door
1400
2083
2060
2060
2083
8457 Nearside Pod

# Mammo

## Technical Info

| | |
|---|---|
| Flooring Type / Colour | Laminated Wooden floor |
| External Body Colour | White |
| Year of Manufacture | 2016 |
| Onboard Lift | Yes |
| No. of Axles | Yes |
| Gross Weight (KG) | 40,000 |
| Onboard Generator | Yes |

# Mammo


2825
785
1030
785
1235
500
945
600
1600
4140
2540
900
1181
1142
625
1235
690
570
690
604
730
930
760
500
820
720
2405
1218
3277
1035
1853
800
792
1545
1025
12000

# Voyager

## Technical Info

| | |
|---|---|
| Internal Floor Space | 55.6m$^2$ |
| Flooring Type / Colour | Carpet / Grey |
| External Body Colour | White |
| Vehicle Footprint (open without cab) | 16.8m x 6.0m |
| Vehicle Footprint (open with cab) | 19.8m x 6.0m |
| Internal Height (pod/stage area) | 2.13m x 2.4m |
| Internal Height (main body area) | 2.6m |
| External Height (floor to roof) | 4m |
| Vehicle Weight (with cab) | 27 Tonne |
| Vehicle Weight Empty (without cab) | 18.7 Tonne |

# Voyager




*Multiple Voyager vehicles available. Some dimensions/specifications may vary slightly depending on model.

# Voyager+

## Technical Info

| | |
|---|---|
| Flooring Type / Colour | Carpet |
| External Body Colour | White |
| Year of Manufacture | 2012 |
| Onboard Lift | No |
| Weight Without Cab (KG) | 22,000 |
| Onboard Generator | Yes |

# Voyager+


2425
8192
740
1700
1729
1945
130
1758
5785
1945
515
525
2845
1703
32
SCALE 0.025
7685

# Expandable

## Technical Info

| | |
|---|---|
| Flooring Type / Colour | Wood Vinyl |
| External Body Colour | White |
| Year of Manufacture | 2021 |
| Onboard Lift | No |
| Weight Without Cab (KG) | 12,000 |
| Onboard Generator | No |

# Expandable


22824
12300
3000
1500
1800
1294
4884
4809
2185
1290
1217
2525
6684
250
6275
6275
1200
1217
13174
13554

# Trilogy

## Technical Info

### Vehicle Features

- Spacious patient reception / waiting area
- 3 Consultation rooms
- 3 Toilets (1 DDA Compliant)
- DDA Compliant Lift
- Patient change area & shower
- Procedure Room complete with piped system, $CO_2$ / Entonox
- 4 Bay recovery ward complete with bed head system with oxygen /suction
- Staff facilities
- CCTV, Intruder alarm and external floodlighting
- Connecting decontamination facility
- Height adjustable, double endoscopy grade sink
- X2 Cantel RapidAER™ reprocessors
- Cantel SureStore™ System and/or Cantel during cabinet
- Track & Trace System
- One way flow for endoscopes
- Integral RO Plant
- Meets NHS standards for infection control and hygiene
- Utilised as a static solution



# Trilogy


16630
13600
15000
RO Plant Room
Decontamination 'Dirty' Side
Decontamination 'Clean' Side
Hand Sink
Up / down Sinks
Hook Up Rack
Dado Trunking
AER
AER
Dado Trunking
Storage Cart
Sure Store System
Hand Sink
Drying Cabinet
Lift
Aluminium plate for wall protection (same size / height as bumpers)
Procedure Room
Bed
Sluice
Clinical Sinks
Patient Change
Shower
Bed/Bench
Curtain
Consultation & Procedure
Sinks
Staff Room
Sink
Dado Stack
Sink
Nurse Station
Recovery
Curtains
Bed
Bed
Bed
Dado Trunking
Air Connection Box
Air Connection Box
DDA Toilet
Reception
Seating
Desk
Comms Cupboard
Base Units
Dado Trunking
Lift
Entrance
Reception & Recovery

# Quest+

## Technical Info

### Vehicle Features

- 13.6m x 6m
- Gold Service PPM package
- Positive and negative air pressure
- Separate clean & dirty areas
- Clean gowning area
- 4 x Cantel RapidAER™
- 1 x Cantel Drying Cabinet
- 1 x SureStore™
- 2 x TranScope™ Trolleys
- Track and Trace system
- Height adjustable endoscopy grade sink
- Medical grade materials throughout
- On board self contained RO plant
- Base vehicle build time of 1.5 hour with 1 Medical Unit Manager
- Full disabled access

| | | | |
|---|---|---|---|
| On site footprint | 13m x 6m*<br>(*Allow for an additional 1m perimeter) | Build Time - static site | 1.5 Hours |
| Transit footprint | 16.5m x 2.54m | Power Connection | X2 63A three phase / c-form |
| Generator Power—used for install only | 35 Kva | Water supply | Minimum 3.5 bar with water pressure of 1.5 $m^2$ per hour |
| Weight | 18000kg | | |

# Quest+




**Total Unit Footprint: 100m²**
(Includes 1 meter clearance around perimeter)

# Quest XL

## Technical Info

| | |
|---|---|
| Footprint | Approx. 15.3 m x 4.8 m<br>(3m allowance required for deployment) |
| Reprocessing Capacity | Up to 180 endoscopes per day |
| Cantel Service Package | Gold Service PPM |
| Power Requirements | 2 x 125 Amp three phase connections |
| Water Connections | Feed connection 22 mm<br>Water pressure min 3.5 bar |
| Drainage Connections | 2 x 110 mm |

| | | | |
|---|---|---|---|
| Entrance – collection/drop off area | ✓ | Built to HTM guidelines | ✓ |
| Staff room | ✓ | Plant room | ✓ |
| Consumables storage area | ✓ | 10 air exchanges per hour | ✓ |
| Chemical storage area | ✓ | Medical grade material | ✓ |
| Dirty Utility with negative air pressure | ✓ | Telephone Connection | ✓ |
| Clean Utility with positive air pressure | ✓ | | |

# Quest XL


13260
3271
7107
2782
900
Chemical Store
800
3686
RO Thermapure
900
RO Thermapure
Plant Room
Distribution Boards
Server Rack
760
Plant Room Extension
Drying Cabinet
Trolley
Clean Area
Fixed Floor
AER
AER
AER
AER
AER
AER
Sink
Sink
1005
Demountable Racking
Fixed Floor
Dirty Area
Medical Sinks
2000
2000
Demountable Racking
Staff Room
Fridge
Sink
Entrance
Trolley Lift
Storage Room
1800
4834
4694
1352
1890
1296
1372
634
300
1982
2200
1037
700
690
2412
1045
1350
2050
3400
3850
7018
2512
13600
15330

# Quad

## Technical Info

### Vehicle Features

- Up to 9 infusion chairs (includes isolation rooms)
- Staff shower facilities
- Reception and waiting area
- Disabled and staff toilet facilities
- Kitchen facilities
- Full disabled access
- Air exchange
- Fire alarm system
- 2x consultation rooms

| | |
|---|---|
| On site footprint | 21.3m x 16.5m |
| Transit footprint | 16.5m x 2.54m |
| Generator Power | 27 Kva x2 |
| Weight | 30000kg (Per Unit) |
| Build time - static site | 1 day build / 1 week install |
| Power Connection | 63A single phase /c-form |

# Quad


Trailer 4
Trailer 3
Trailer 2
Trailer 1
13600
1500
3052
2086
2086
2130
2433
Water Treatment
Treatment Chair
Isolation Area
Treatment Area
Plumbing for spare Dialysis Machines
Storage Area
Tail Lift
12475 Over Pod into 12625 wide trailer side rebate
6470
1550 Over Pod
1858 Over Folding Floor Section
Floor Folded up into T4
528
Resus Trolley
Chair
2287
2274
1930
12447
2540
4001
2709
608
1267
3572
2040
400
2534
Mains Cupboard
Comms Cupboard
Reception
2201
Wheelchair Platform Lift
2978
9245
1933
2858
1183
2017
1236
Shower
Sinks
Wall Heater
Mirror
Hand Dryer
Tall Cupboard
Clean Utility
Dirty Utility
Storage Cupboard
Storage Racking
Macerator
Bucket Sink
2012
1000
3632
1800
3700

# Pioneer

## Technical Info

BSL-2 Lab Configuration

10 Air Exchanges Per Hour

Staff Area

Lamp Set Up / GENIE Room

Don on / Don off & Waste Rooms

Onboard Generator

CCTV, Intruder Alarm and Fire Alarm Systems

# Pioneer


14282
3981
3465
1130 Door
1420
Laptop
Laptop
620
PCR Hood (Counter-top)
UPS
Lamp Kit
820
Lamp Set Up / GENIE Room
Ventilation
1130 Door
Server Rack, UPS & Network Switch
Water Storage
Bench Seating
Under Counter Fridge
640
Small Storage Cupboard (Floor to Ceiling)
720
800 Door
Small Tables on Wheels for Laptops
750 Door
1300
968
Don On / Off
793
Waste Room
953
3865
2475
1643
Staff Rest
800 Door
Clean Prep
Under Counter Fridge & Freezer
900 Door
Spec Rec & Make Safe
710
750
750 Door
2273
1250
Laptop
620
PCR Hood (Counter-top)
798
Safety Cabinet
Worktop
Heat Block
800
Safety Cabinet
Auto clave
500
Unpacking & Storage
Leisure Batteries
750
1300
1200
1300
2900
1941
6793
13900

# Liberty

## Technical Info

### Vehicle Features

- Meet NHS standards for infection control and hygiene
- 2 Private consultation rooms
- Injection room with positive Air Flow system
- Reception and waiting areas
- Dimmable lighting throughout
- Full disabled access
- Set-up time 3 hours
- Air conditioning
- Fire alarm system / CCTV and wireless intruder alarm
- External floodlighting
- Satellite communications facility

| | |
|---|---|
| On site footprint | 15.5m x 9m |
| Transit footprint | 16.5m x 2.54m |
| Generator Power | 17 Kva |
| Weight | 30000kg (Per unit) |

| | |
|---|---|
| Power Connection | 63A single phase/C-form |
| Build time - static site | 1 week |
| Build time - moving weekly | 4 hours |

# Liberty


13600
3805
635
1237
3587
2546
718
1516
2013
2540
Heater
(1980mm
height)
2983
2212
400
500
470
5556
Distribution
Board
1611
816
Curtained Bays
1220
Server
Rack
2329
Desk
2345
Seating
Reception
2147
Fire Alarm
Control Panel
Intruder Alarm
Control Panel
Fire Alarm
605
Distribution
Board
Worktop
Staff Area
Sink
1824
Wall Cupboards
Seating
2364
600
805
Sink
600
Worktop
1000
Wall Cupboards
Heater
(1980mm
height)
2418
Radiator
2103
DDA
Toilet
2274
Sink
WC
805
Sink
600
Worktop
2431
Cupboards
(x3 height)
Cupboards
(x2 height)
Cupboards
(x3 height)
600
Heater
(1980mm
height)
3072
3697
1801
3163
580

# Liberty+

## Technical Info

**Vehicle Features**

- Meet NHS standards for infection control and hygiene
- 2 Private consultation rooms
- Injection room with positive Air Flow system
- Reception and waiting areas
- Staff kitchen and rest area
- Dimmable lighting throughout
- Full disabled access
- Set-up time 1 week on site (single static location)
- Air conditioning
- Fire alarm system / CCTV and wireless intruder alarm
- External floodlighting
- Satellite communications facility

| | |
|---|---|
| On site footprint | 16.3m x 7.6m |
| Generator Power | 27 Kva x3 |
| Build time - static | 1 week |
| Power Connection | 63A single phase/C-form |

# Liberty+


Trailer 3 - Procedure
Trailer 2 - Reception
Trailer 1 - Consultation
Dimmable light switch in Injection Room
(PIR sensors for lights in all other rooms)
Injection Room
Dado Trunking
Worktop
Sink
Waiting Room
Seating
Cupboard
Fridge
Cupboard
Cable Trunking
Cable Trunking
Sink
Worktops
Wall Cupboards
Seating
2 x 600mm Lockers
Seating
Comms Cupboard & Consumer Units
Cable Trunking
Compact Desk
Reception
Seating
Fire Alarm
Fire & Intruder Alarm Control Panels
Lift
Staff Area
Sink
Stools and Breakfast Bar
Dado Trunking
Sink
Consultation Room
Sink
Desk
Seating
Dado Trunking
Patient Toilet
Sink
WC
Consultation Room
Sink
Desk
Seating
Dado Trunking
Window with Integral Blind
Window with Integral Blind
4850
2541
3380
2426
600
2000
800
2318
1185
2484
470
6098
1200
3512
1200
1200
2161
2397
3195
9238
8566
9766
470
1651
1182
2772
1182
1093
1182
1788
1182
1568
2426
2103
2431
3490
3695
1905
3990
13600
15507

## Conditions of sale

View: Strictly by prior appointment only | Location: Ellesmere Port, UK
All units are subject to availability | All Lots must be collected strictly by appointment only
The sale will be conducted in Sterling

## Contacts


**Hilco**
Andrew Bibby
e: abibby@hilcoglobaladvisors.co.uk | m: 07831 820 670

Paul Pilling
e: ppilling@hilcoglobaladvisors.co.uk | m: 07949 798 129

**Hilditch**
Hugo Hilditch
e: HugoH@hilditchgroup.com | m: 07540 047 783